



## Rx FOR SUCCESS

### Liver Tests

Liver enzymes are commonly tested upon life insurance application. Although they may be produced by other tissues in the body, an unexplained elevation of one or more of these enzymes is a concern for impaired liver function. The liver tests most commonly encountered by the underwriter include:

- ▶ SGOT (serum glutamic oxaloacetic transaminase), also known as AST (aspartate aminotransferase)
- ▶ SGPT (serum glutamic pyruvic transaminase), also known as ALT (alanine aminotransferase)
- ▶ GGTP or GGT (gamma-glutamyl transferase or transpeptidase)

Elevations of SGOT and SGPT are usually caused by some type of liver damage that allows enzymes to “leak out” of cells.

The degree of elevation roughly parallels the extent of liver cell damage. SGPT is the most specific enzyme, being produced primarily by the liver. SGOT is produced by the liver but commonly rises from simple muscle trauma. GGTP is a very sensitive enzyme for the detection of early liver disease or damage. It is also an inducible enzyme, meaning that it will rise when the liver is actively metabolizing some types of drugs or toxins (like alcohol).

Many impairments may cause elevations in one or more of the liver enzymes:

- ▶ Hepatitis, especially viral hepatitis (See *Rx for Success* on Hepatitis A,B,C)
- ▶ Cirrhosis
- ▶ Fatty liver, often associated with diabetes, obesity, elevated blood fats, or excess alcohol
- ▶ Liver cancer or metastases
- ▶ Alcohol use
- ▶ Some medications, such as Dilantin, phenobarbital, allopurinol, and many others
- ▶ A variety of infiltrative diseases of the liver
- ▶ Biliary obstruction, including conditions such as gallstones, primary biliary cirrhosis, cancer, and cholangitis

The goal in underwriting abnormal liver tests is to determine the underlying cause and then classify the risk accordingly. Many of the conditions listed above are quite serious.

In summary, when faced with the situation of abnormal liver enzymes, an underwriter will consider the degree of elevation, the clinical history, and the current physical findings. Some follow-up investigation might help clarify the picture.

- ▶ Was the applicant taking a medication that was not initially mentioned?
- ▶ Was there a documented viral illness prior to the blood draw?
- ▶ Has the client been evaluated by his or her own physician for chronic elevations?

The underwriter will also consider the condition of the blood specimen, in particular hemolysis, which could affect the test results. A non-fasting state does not affect any of the liver enzymes.

This material is designed to provide general information about the subject matter covered. It should be used with the understanding that we are not rendering legal, accounting, or tax advice. Such services should be provided by the client's professional advisors. Accordingly, any information in this document cannot be used by any taxpayer for purposes of avoiding penalties under the Internal Revenue Code.

This material is intended for insurance informational purposes only and is not personal medical advice for clients. Rates and availability will vary based on the satisfaction of our underwriting criteria. Underwriting rules are subject to change at our discretion. This marketing material is subject to an expiration date, and use of this material must be discontinued as of the expiration date.

Insurance issued by The Prudential Insurance Company of America and its affiliates, Newark, NJ.

**NOT FOR CONSUMER USE.**

© 2013 Prudential Financial, Inc. and its related entities.  
0190152-00002-00 Ed. 01/2013 Exp. 01/24/2015 Rx 003

**Securities and Insurance Products:**

Not Insured by FDIC or Any Federal Government Agency.  
May Lose Value.

Not a Deposit of or Guaranteed by Any Bank or Bank Affiliate.



**Prudential**  
Bring Your Challenges<sup>®</sup>

## RATINGS FOR LIVER TEST

Rate for cause or see below.

IF THE CAUSE IS UNKNOWN AND THERE IS SIGNIFICANT ELEVATION OF ONLY ONE TEST	
Bilirubin: • ≤ 6.0 mg/dl	No rating
• > 6.0 mg/dl	Decline
Alkaline phosphatase: • Age > 20 years ≤ 3X laboratory reference range • Age ≤ 20 years ≤ 5X laboratory reference range • Others	No rating No rating Individual consideration
AST: • ≤ 5X normal • > 5X normal	No rating Decline
ALT: • ≤ 4X normal • > 4X – 5X normal • > 5X normal	No rating Table B Decline
GGTP: • ≤ 4X normal • > 4X – 5X normal • > 5X normal	No rating Table B Decline

IF THE CAUSE IS UNKNOWN AND THERE IS ELEVATION OF TWO OR MORE (AST, ALT, GGTP) WITH NO SIGNIFICANT ELEVATION OF BILIRUBIN OR ALP, RATE FOR HIGHEST ENZYME.	
• ≤ 2X normal	No rating
• > 2X but ≤ 3X normal	Table B
• > 3X but ≤ 4X normal	Table D
• > 4X but ≤ 5X normal	Table F
• > 5X normal	Individual consideration

For entering the tables, the following values will be considered significant elevations:

AST, ALT	> 50 U/L
GGTP	> 65 U/L
Bilirubin	≥ 2 mg/dl
ALP • 20 Years, non-pregnant • ≤ 20 Years • Pregnant	> 1.5X adult laboratory reference range > 5X adult laboratory reference range > 3X adult laboratory reference range

To get an idea of how a client with a history of liver tests would be viewed in the underwriting process, use the Ask “Rx”pert Underwriter on the next page for an informal quote.

### Ask "Rx"pert Underwriter (Ask Our Expert)

After reading the *Rx for Success* on Liver Tests, use this form to Ask "Rx"pert Underwriter for an informal quote.

Producer \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
 Client \_\_\_\_\_ Age/DOB \_\_\_\_\_ Sex \_\_\_\_\_

If your client has elevated liver enzymes, please answer the following:

#### 1. How long has this abnormality been present? (Years)

\_\_\_\_\_

#### 2. Please give the date and results of the most recent liver enzyme tests.

- AST/SGOT \_\_\_\_\_
- ALT/SGPT \_\_\_\_\_
- GGTP \_\_\_\_\_
- ALP \_\_\_\_\_
- Bilirubin \_\_\_\_\_

#### 3. These results have been:

- Increasing       Fluctuating up and down
- Decreasing       Unknown
- Stable

#### 4. Does your client drink alcohol? (Answer all that apply.)

- Yes. Please note amount and frequency. \_\_\_\_\_
- No
- Drinking pattern changed recently. \_\_\_\_\_

#### 5. Is your client on any medications (prescription and/or non-prescription)?

- Yes. Please give details. \_\_\_\_\_
- No

#### 6. Please check if your client has had any further studies for evaluation:

- |   |                                 |                                   |
|---|---------------------------------|-----------------------------------|
| Hepatitis A, B, or C                            | <input type="checkbox"/> Normal | <input type="checkbox"/> Abnormal |
| Iron studies                                    | <input type="checkbox"/> Normal | <input type="checkbox"/> Abnormal |
| Liver ultrasound, CT scan, or MRI               | <input type="checkbox"/> Normal | <input type="checkbox"/> Abnormal |
| Liver biopsy                                    | <input type="checkbox"/> Normal | <input type="checkbox"/> Abnormal |
| <input type="checkbox"/> No further evaluations |                                 |                                   |

#### 7. Does your client have any other major health problems (e.g., heart disease, etc.)?

- Yes. Please give details. \_\_\_\_\_
- No